


# Rohde&Schwarz CMW500

## Terminal Tester

# Hw option:




# SW option

GSM WCDMA TD-SCDMA LTE TDD/FDD, Spectrum analysis

RF Test Measurements		
	Name	Lic.
KM010	SPECTRUM ANALYZER	1
KM011	IQ VS SLOT TX MEAS	1
KM012	MULTI EVAL LIST MODE	1
KM200	GSM R6 TX MEAS	1
KM400	WCDMA R99 TX MEAS	1
KM500	LTE FDD R8 TX MEAS	1
KM550	LTE TDD R8 TX MEAS	1
KM750	TD-SCDMA TX MEAS	1
RF Test Generator		
	Name	Lic.
KV110	WAVE LIBRARY1	1

# Outline:



# Rohde&Schwarz CBT Bluetooth Tester

# Options:

Software Options			Version	Enable
CBT-K0	Demo Pack	Elapsed time:	23237 h	<input type="checkbox"/>
CBT-B42 Code	Digital Audio Interface (S/P-DIF)		---	<input type="checkbox"/>
CBT-K52	A2DP/SBC (Stereo Profile/Codec)		---	<input type="checkbox"/>
CBT-K54	Bluetooth Audio Profiles		---	<input type="checkbox"/>
CBT-K55	Enhanced Data Rate		---	<input checked="" type="checkbox"/>
CBT-K57	Low Energy		---	<input checked="" type="checkbox"/>
CBT-K77	Low Energy w/o BR/EDR		---	<input type="checkbox"/>
Hardware Options				
CBT-B41	Audio Measurement Unit		not installed	
CBT-B42	Digital Audio Interface (S/P-DIF)		not installed	
CBT-B55	Enhanced Data Rate		available	



**ROHDE & SCHWARZ** CBT · BLUETOOTH TESTER 133.9000.35

**RF Analyzer / Generator**

**Setup**

Model: CBT-1153 9000.35  
 Serial Number: 100344  
 SW Version: CBT V5.70

**Software Options**

	Version	Enable
CBT-K0 Demo Pack	Elapsed time	23237 h
CBT-B42 Code	Digital Audio Interface (S/P-DIF)	---
CBT-K52	A2DP/ISBC (Stereo Profile/Codec)	---
CBT-K54	Bluetooth Audio Profiles	---
CBT-K55	Enhanced Data Rate	<input checked="" type="checkbox"/>
CBT-K57	Low Energy	<input checked="" type="checkbox"/>
CBT-K77	Low Energy w/o BR/EDR	<input type="checkbox"/>

**Hardware Options**

CBT-B41	Audio Measurement Unit	not installed
CBT-B42	Digital Audio Interface (S/P-DIF)	not installed
CBT-B55	Enhanced Data Rate	available

Print Remote Comm. Options Time Misc.

**FUNCTION**

MENU SELECT DATA CTRL HELP SETUP PRINT

**VARIATION**

7 8 9 A  
4 5 6 B  
1 2 3 C  
0 D  
ON / OFF ENTER UNIT  
EXP / CMP CONT / HALT

**IN / OUT**

AF IN AF OUT  
 RF IN/OUT  
 +27 dBm max

**Bluetooth**

**CBT**

DATE: 14.03.2014

Cal Date: 2014-03-13 Exp. Date: 2015-03-12

MADE IN GERMANY



# Rohde&Schwarz

## NRP-Z11 Power Sensor



outline:



8 units, all test OK