

Cypress CyUsb.sys Programmer's Reference

© 2011 Cypress Semiconductor

Table of Contents

Foreword	0
Part I Driver Overview	4
Part II Features Not Supported	4
Part III Modifying CyUSB.INF	5
Part IV Matching Devices to the Driver	10
1 Windows 2000.....	10
2 Windows XP.....	14
3 Windows Vista and 7.....	18
Part V Reinstalling the Driver	23
Part VI The IOCTL Interface	23
1 Getting a Handle to the Driver.....	23
2 IOCTL_ADAPT_ABORT_PIPE.....	25
3 IOCTL_ADAPT_CYCLE_PORT.....	26
4 IOCTL_ADAPT_GET_ADDRESS.....	26
5 IOCTL_ADAPT_GET_ALT_INTERFACE_SETTING.....	26
6 IOCTL_ADAPT_GET_CURRENT_FRAME.....	27
7 IOCTL_ADAPT_GET_DEVICE_NAME.....	28
8 IOCTL_ADAPT_GET_DEVICE_POWER_STATE.....	28
9 IOCTL_ADAPT_GET_DEVICE_SPEED.....	29
10 IOCTL_ADAPT_GET_DRIVER_VERSION.....	29
11 IOCTL_ADAPT_GET_FRIENDLY_NAME.....	30
12 IOCTL_ADAPT_GET_NUMBER_ENDPOINTS.....	30
13 IOCTL_ADAPT_GET_TRANSFER_SIZE.....	31
14 IOCTL_ADAPT_GET_USBDI_VERSION.....	32
15 IOCTL_ADAPT_RESET_PARENT_PORT.....	32
16 IOCTL_ADAPT_RESET_PIPE.....	33
17 IOCTL_ADAPT_SELECT_INTERFACE.....	33
18 IOCTL_ADAPT_SEND_EP0_CONTROL_TRANSFER.....	33
19 IOCTL_ADAPT_SEND_NON_EP0_TRANSFER.....	35
20 IOCTL_ADAPT_SEND_NON_EP0_DIRECT.....	36
21 IOCTL_ADAPT_SET_DEVICE_POWER_STATE.....	40
22 IOCTL_ADAPT_SET_TRANSFER_SIZE.....	40

Part VII CYIOCTL.H	41
1 ISO_ADV_PARAMS.....	43
2 SINGLE_TRANSFER.....	45
3 SETUP_PACKET.....	46
4 SET_TRANSFER_SIZE_INFO.....	47
Index	49

1 Driver Overview

Driver Overview

[Top](#) [Next](#)

The CYUSB.SYS driver is licensed for distribution ONLY with Cypress USB products and products that employ Cypress USB chips.

CYUSB.SYS is a USB device driver for 32 bit Windows 2000, 32/64 bit Windows XP, 32/64 bit Windows Vista and 32/64bit Windows 7(Vista versions of cyusb.sys have been tested and compatible with Windows 7) , that is capable of communicating with any USB 2.0 compliant device. The driver is general-purpose, understanding primitive USB commands, but not implementing higher-level, USB device-class specific commands. For this reason, the driver is not capable, for instance, of interfacing a USB mass storage class device to the Windows file system.

However, the driver would be ideal for communicating with a vendor-specific device from a custom USB application. Or, it might be used to send low-level USB requests to any USB device for experimental or diagnostic applications.

In order to use the driver to communicate with a device, Windows must [match the device to the driver](#).

The class library, CyAPI.lib and Cyusb.dll, provides a high-level programming interface to the driver. This help file documents the low-level, more cumbersome and explicit, programming interface.

Features

- Windows Driver Model (WDM) compliant
- WHQL Certified (not signed)
- Compatible with any USB 2.0 compliant device
- Supports Windows PnP and Power Management level S4
- Supports USB Remote Wake-up
- Supports Control, Bulk, Interrupt and Isochronous endpoints
- Supports multiple USB devices connected at once
- Supports [customizable driver GUID](#) without re-building the driver
- Supports high bandwidth data transfers passing multiple packets per uframe
- Supports automatic [play-back of control transfer scripts](#) at device startup

2 Features Not Supported

The Following features are not supported by CyUSB.sys driver due to the lack of interface URBs to the Bus driver.

1. SET ADDRESS Feature

The SET ADDRESS Request cannot be implemented through control endpoint.

2. SYNC FRAME

The SYNC FRAME Request cannot be implemented through Control Endpoint.

3 Modifying CyUSB.INF

Modifying CyUSB.INF

[Previous](#) [Top](#) [Next](#)

The CYUSB.INF file can be modified to accomplish several different objectives. These are:

1. [Add a device's identifiers to the driver](#)
2. [Replace Cypress strings](#) that are displayed during driver installation
3. [Implement a custom GUID for the driver](#)
4. [Execute a saved script](#) of commands at driver load time

NOTE: Below steps cover 32/64 bit INF section update, Ntx86 refer to the 32bit system and Ntamd64 refer to 64 bit system. Same INF file will be used to install driver on 32/64 bit Operating System.

Add a device's identifiers to the driver

To make the driver match to a specific device, the device's vendor ID and product ID need to be added to the .inf file.

Locate the following sections **[Device]**, **[Device.NT]**, **[Device.Ntx86]** and **[Device.Ntamd64]** and remove the semicolon of each item under the each section

```
;%VID_XXXX&PID_XXXX.DeviceDesc%=CyUsb, USB\VID_XXXX&PID_XXXX
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the above listed sections like following

```
%VID_04B4&PID_DE01.DeviceDesc%=CyUSB, USB\VID_04B4&PID_DE01
```

Change [String] section for Device Description according to the Vendor ID and Product ID.

```
VID_XXXX&PID_XXXX.DeviceDesc="Cypress USB Generic Driver (3.4.4.00)"
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the [Strings] section like the following

```
VID_04B4&PID_DE01.DeviceDesc="Cypress OTG DE1 DevBoard"
```

Replace Cypress strings

If you plan to do more than just add your device's VID/PID to the CYUSB.INF file, it is strongly recommended that you create your own .INF file and a copy of CYUSB.SYS that you have re-named. The remaining instructions assume that you have created your own .INF file to match your newly named copy of CYUSB.SYS.

The driver can be customized to report a company other than Cypress as its manufacturer and provider.

Locate the **[Strings]** section at the bottom of the CYUSB.INF file.

Change the quoted **CYUSB_Provider** string.

Change the quoted **CYUSB_DisplayName** string.

Change the quoted **CYUSB_Company** string.

Change the quoted **CYUSB_Description** string.

Implement a custom GUID

Applications software usually accesses the driver using the driver's Global Unique Identifier (GUID). Each driver in the Windows system should have a unique GUID. By employing distinct GUIDs, multiple instances of CYUSB.SYS from different hardware vendors can exist on a given system without colliding.

To change the driver's GUID,

Use the GUIDGEN.EXE utility (distributed with Microsoft Visual Studio) to get a new GUID.

Locate the **[Strings]** section in the CyUSB.inf file

Locate the line

CYUSB.GUID="{AE18AA60-7F6A-11d4-97DD-00010229B959}"

and replace the quoted GUID string with the new one you created. (Retain the curly braces.)

Execute a script at start-up

The CYUSB.SYS driver can be used to perform transfers to the default control endpoint (endpoint address 0) when the device is started.

To configure the driver to perform a control transfer at startup

Use the CyConsole.exe application to create a script file containing the control transfer commands.

Save the script as a file named MyDevice.SPT

Place that script file in the same directory as the the driver's .INF file

A common use of this feature is to have the driver play a script which downloads a firmware image to the USB device, thereby modifying its "personality" and usually causing it to re-enumerate on the bus. If this re-enumeration occurs with the same VID/PID as the original "personality", the script will be executed again and again in an un-ending loop.

To avoid this endless loop scenario, the second personality should enumerate with a different VID/PID than the one which caused the script to play.

The .inf file can be modified to play a script when one VID/PID is enumerated and to simply load the driver when a different VID/PID is detected.

The following is an excerpt from a .inf file that plays a script called MyDevice.spt when VID/PID of 04B4/8613 is enumerated. If VID/PID 0547/1002 enumerates, the script is not played. (This .inf is compatible with WinXP, Win2k, 32/64bit Windows Vista and 32/64bit Windows 7)

```
[ Version]
Signature="$WINDOWS_NT$"
Class=USB
ClassGUID={ 36FC9E60-C465-11CF-8056-444553540000}
provider=%CYUSB_Provider%
CatalogFile=CYUSB.cat
DriverVer=10/12/2009,3.4.4.00

[ SourceDisksNames]
1=%CYUSB_Install%,,,

[ SourceDisksFiles]
CYUSB.sys = 1

[ DestinationDirs]
CYUSB.Files.Ext = 10,System32\Drivers
MyDevice.Files.Ext = 10,System32\MyDevice

[ ControlFlags]
ExcludeFromSelect = *

[ Manufacturer]
%CYUSB_Provider%=Device,NT,NTx86,NTamd64

;for all platforms
[ Device]
%VID_04B4&PID_8613.DeviceDesc%=MyDevice, USB\VID_04B4&PID_8613
%VID_0547&PID_1002.DeviceDesc%=CyUsb, USB\VID_0547&PID_1002

;for windows 2000 non intel platforms
[ Device.NT]
%VID_04B4&PID_8613.DeviceDesc%=MyDevice, USB\VID_04B4&PID_8613
%VID_0547&PID_1002.DeviceDesc%=CyUsb, USB\VID_0547&PID_1002

;for x86 platforms
[ Device.NTx86]
%VID_04B4&PID_8613.DeviceDesc%=MyDevice, USB\VID_04B4&PID_8613
%VID_0547&PID_1002.DeviceDesc%=CyUsb, USB\VID_0547&PID_1002

;for x64 platforms
```

```
[ Device. NTamd64]
%VID_04B4&PID_8613.DeviceDesc%=MyDevice, USB\VID_04B4&PID_8613
%VID_0547&PID_1002.DeviceDesc%=CyUsb, USB\VID_0547&PID_1002
```

```
[ MyDevice]
CopyFiles=CYUSB.Files.Ext, MyDevice.Files.Ext
AddReg=CyUsb.AddReg
```

```
[ MyDevice.HW]
AddReg=MyDevice.AddReg.Guid
```

```
[ MyDevice.Services]
Addservice = CYUSB,2,CYUSB.AddService
```

```
[ MyDevice.NT]
CopyFiles=CYUSB.Files.Ext, MyDevice.Files.Ext
AddReg=CyUsb.AddReg
```

```
[ MyDevice.NT.HW]
AddReg=MyDevice.AddReg.Guid
```

```
[ MyDevice.NT.Services]
Addservice = CYUSB,2,CYUSB.AddService
```

```
[ MyDevice.NTx86]
CopyFiles=CYUSB.Files.Ext, MyDevice.Files.Ext
AddReg=CyUsb.AddReg
```

```
[ MyDevice.NTx86.HW]
AddReg=MyDevice.AddReg.Guid
```

```
[ MyDevice.NTx86.Services]
Addservice = CYUSB,2,CYUSB.AddService
```

```
[ MyDevice.NTamd64]
CopyFiles=CYUSB.Files.Ext, MyDevice.Files.Ext
AddReg=CyUsb.AddReg
```

```
[ MyDevice.NTamd64.HW]
AddReg=MyDevice.AddReg.Guid
```

```
[ MyDevice.NTamd64.Services]
Addservice = CYUSB,2,CYUSB.AddService
```

```
[ MyDevice.AddReg.Guid]
HKR,,DriverGUID,,%CYUSB.GUID%
HKR,,DriverEXECSCRIPT,,%MyDevice.EXECSCRIPT%
```

```
[ MyDevice.Files.Ext]
MyDevice.spt
```

```
[ CYUSB]
CopyFiles=CYUSB.Files.Ext
```

```
AddReg=CyUsb. AddReg

[ CYUSB. HW]
AddReg=CYUSB. AddReg. Guid

[ CYUSB. Services]
Addservice = CYUSB, 2, CYUSB. AddService

[ CYUSB. NT]
CopyFiles=CYUSB. Files. Ext
AddReg=CyUsb. AddReg

[ CYUSB. NT. HW]
AddReg=CYUSB. AddReg. Guid

[ CYUSB. NT. Services]
Addservice = CYUSB, 2, CYUSB. AddService

[ CYUSB. NTx86]
CopyFiles=CYUSB. Files. Ext
AddReg=CyUsb. AddReg

[ CYUSB. NTx86. HW]
AddReg=CYUSB. AddReg. Guid

[ CYUSB. NTx86. Services]
Addservice = CYUSB, 2, CYUSB. AddService

[ CYUSB. NTamd64]
CopyFiles=CYUSB. Files. Ext
AddReg=CyUsb. AddReg

[ CYUSB. NTamd64. HW]
AddReg=CYUSB. AddReg. Guid

[ CYUSB. NTamd64. Services]
Addservice = CYUSB, 2, CYUSB. AddService

[ CYUSB. AddReg]
; Deprecating - do not use in new apps to identify a CYUSB driver
HKR,,DevLoader,,*ntkern
HKR,,NTMPDriver,,CYUSB.sys
; You may optionally include a check for DriverBase in your application to check
for a CYUSB driver
HKR,,DriverBase,,CYUSB.sys
HKR,"Parameters","MaximumTransferSize",0x10001,4096
HKR,"Parameters","DebugLevel",0x10001,2
HKR,,FriendlyName,,%CYUSB_Description%

[ CYUSB. AddService]
DisplayName = %CYUSB_Description%
ServiceType = 1 ; SERVICE_KERNEL_DRIVER
StartType = 3 ; SERVICE_DEMAND_START
```

```

ErrorControl    = 1                ; SERVICE_ERROR_NORMAL
ServiceBinary   = %10%\System32\Drivers\CYUSB.sys
AddReg          = CYUSB.AddReg
LoadOrderGroup = Base

[CYUSB.Files.Ext]
CYUSB.sys

[CYUSB.AddReg.Guid]
HKR,,DriverGUID,,%CYUSB.GUID%

[Strings]
CYUSB_Provider      = "Cypress"
CYUSB_Company       = "Cypress Semiconductor Corporation"
CYUSB_Description   = "Cypress Generic USB Driver"
CYUSB_DisplayName   = "Cypress USB Generic"
CYUSB_Install       = "Cypress CYUSB Driver Installation Disk"
VID_XXXX&PID_XXXX.DeviceDesc="Cypress USB Generic Driver (3.4.4.00)"
CYUSB_GUID="{AE18AA60-7F6A-11d4-97DD-00010229B959}"
CYUSB_Unused        = "."
MyDevice.EXECSCRIPT="\systemroot\system32\MyDevice\MyDevice.spt"

```

4 Matching Devices to the Driver

Matching Devices to the Driver

[Previous](#) [Top](#) [Next](#)

Usually, matching of a USB device to the CYUSB.SYS driver will need to be manually configured.

Following are the steps user has to follow to install driver on Windows OS.

Step 1 : Add the device's VendorID and ProductID to the CYUSB.INF file.

Step 2 : Force Windows to use the CYUSB.SYS driver with the device.

Though similar, these steps are slightly different for [Windows 2000](#) , [WinXP](#) and [Windows Vista and 7](#)

4.1 Windows 2000

Matching Devices to the Driver (Win2K-Specific)

[Previous](#) [Top](#) [Next](#)

Usually, matching of a USB device to the CYUSB.SYS driver will need to be manually configured. This configuration consist of two steps.

Step 1 : Add the device's VendorID and ProductID to the CYUSB.INF file.

After installation of the Cypress Suite USB installer, the driver file is located in a Driver subdirectory of the install directory. (Default is C:\Program Files\Cypress\Cypress Suite USB 3.4.1\Driver\bin.)

Open the file CYUSB.INF with a text editor (notepad.exe, for instance)

Locate the following sections **[Device]**, **[Device.NT]**, **[Device.Ntx86]** and **[Device.Ntamd64]** and remove the semicolon of each item under the each section

```
;%VID_XXXX&PID_XXXX.DeviceDesc%  
=CyUsb, USB\VID_XXXX&PID_XXXX
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the above listed sections like following:

```
%VID_04B4&PID_DE01.DeviceDesc%=CyUSB,  
USB\VID_04B4&PID_DE01
```

Change [String] section for Device Description according to the Vendor ID and Product ID.

```
VID_XXXX&PID_XXXX.DeviceDesc="Cypress  
USB Generic Driver (3.4.3.00)"
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the

[Strings] section like the following:
**VID_04B4&PID_DE01.DeviceDesc="Cypress
OTG DE1 DevBoard"**

Save the file.

Step 2 : Force Windows2000 to use the CYUSB.SYS driver with the device.

Connect the device to the PC

If Windows prompts for a driver or indicates that it needs a driver, direct the PC to use the CYUSB.SYS driver by steering it to the CYUSB.INF file in the [InstallDir]\Driver directory.

If Windows does not prompt for a driver, it has already matched the device to a driver itself. In this case, you will need to see if the CYUSB.SYS driver was selected and, if not, manually instruct Windows to use that driver.

Right-click **My Computer** and select the Manage menu item.

In the **Computer Management** window, select **Device Manager**

In the right window pane, click the + icon next to **Universal Serial Bus controllers**

Locate your device in the list and double click on it

Select the **Driver** tab in the Properties dialog that comes up

Click on the **Driver Details** button.

*If the displayed driver file is CYUSB.SYS, Windows has already matched the device to this driver and you should click **OK** and **Cancel** . If not, proceed with the remaining steps.*

Click **OK**

Select **Update Driver**

Click **Next**

Select **Search for a suitable driver for my device (recommended)**

Click **Next**

Select **Specify a location**

Click **Next**

Navigate to the directory containing CYUSB.SYS (Directory Name for various Operating System and platform: w2k(windows 200), wlh(windows Vista), wxp(Windows XP),x86(32-bit OS) and x64 (64-bit OS))

CYUSB.INF should be automatically placed in the File name field

Click **Open**

Click **OK**

Click **Next**

Click **Finish**

Don't re-boot your system if Windows suggests that you must. You may need to unplug and re-plug your device, however.

4.2 Windows XP

Matching Devices to the Driver

[Previous](#) [Top](#) [Next](#)

Usually, matching of a USB device to the CYUSB.SYS driver will need to be manually configured. This configuration consist of two steps.

Pre-required steps to Install unsigned driver on 64-bit system.

Reboot the system where CyUSB.sys driver will be installed

Press F8 while boot up of Operating System

Select the option "Disable Driver Signature Enforcement" and Press enter

Now follow step 2 to install the driver.

Please note that every time you reboot the system ,you have follow above steps except last step otherwise device driver will not function.

Step 1 : Add the device's VendorID and ProductID to the CYUSB.INF file.

After installation of the Cypress Suite USB installer, the driver file is located in a Driver subdirectory of the install directory. (Default is C:\Program Files\Cypress\Cypress Suite USB 3.4.1\Driver\bin.)

Open the file CYUSB.INF with a text editor (notepad.exe, for instance)

Locate the following sections **[Device]**, **[Device.NT]**, **[Device.Ntx86]** and **[Device.Ntamd64]** and remove the semicolon of each item under the each section

```
;%VID_XXXX&PID_XXXX.DeviceDesc%  
=CyUsb, USB\VID_XXXX&PID_XXXX
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the above listed sections like following:

```
%VID_04B4&PID_DE01.DeviceDesc%=CyUSB,  
USB\VID_04B4&PID_DE01
```

Change [String] section for Device Description according to the Vendor ID and Product ID.
VID_XXXX&PID_XXXX.DeviceDesc="Cypress USB Generic Driver (3.4.3.00)"

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the [Strings] section like the following:

```
VID_04B4&PID_DE01.DeviceDesc="Cypress
```

OTG DE1 DevBoard"

Save the file.

Step 2 : Force WindowsXP to use the CYUSB.SYS driver with the device.

Connect the device to the PC

If Windows prompts for a driver or indicates that it needs a driver, direct the PC to use the CYUSB.SYS driver by steering it to the CYUSB.INF file in the [InstallDir]\Driver directory.

If Windows does not prompt for a driver, it has already matched the device to a driver itself. In this case, you will need to see if the CYUSB.SYS driver was selected and, if not, manually instruct Windows to use that driver.

Right-click **My Computer** and select the **Manage** menu item.

In the **Computer Management** window, select **Device Manager**

In the right window pane, click the + icon next to **Universal Serial Bus controllers**

Locate your device in the list and double click on it

Select the **Driver** tab in the Properties dialog that comes up

Click on the **Driver Details** button.

*If the displayed driver file is CYUSB.SYS, Windows has already matched the device to this driver and you should click **OK** and **Cancel** . If not, proceed with the remaining steps.*

Click **OK**

Click **Update Driver**

Select **Install from a list or specific location (Advanced)**

Click **Next**

Select **Don't search. I will choose the driver to install.**

Click **Next**

Click **Have Disk**

Click **Browse**

Navigate to the directory containing CYUSB.SYS (wxp(Windows XP) and select x86(32-bit OS) or x64(64-bit OS)) based on the platform you want to install driver on.

CYUSB.INF should be automatically placed in the File name field

Click **Open**

Click **OK**

Click **Next**

It will popup message saying Unsigned driver, Please select 'Install driver software anyway' and click ok.

Click **Finish**

Click **Close**

Don't re-boot your system if Windows suggests that you must. You may need to unplug and re-plug your device, however.

4.3 Windows Vista and 7

Matching Devices to the Driver

[Previous](#) [Top](#) [Next](#)

Usually, matching of a USB device to the CYUSB.SYS driver will need to be manually configured. This configuration consist of two steps.

Pre-required steps to Install unsigned driver on 64-bit system.

Reboot the system where CyUSB.sys driver will be installed

Press F8 while boot up of Operating System

Select the option "Disable Driver Signature Enforcement" and Press enter

Now follow step 2 to install the driver.

Please note that every time you reboot the system ,you have follow above steps except last step otherwise device driver will not function.

Step 1 : Add the device's VendorID and ProductID to the CYUSB.INF file.

After installation of the Cypress Suite USB installer, the driver file is located in a Driver subdirectory of the install directory. (Default is C:\Program Files\Cypress\Cypress Suite USB 3.4.1\Driver\bin.)

Open the file CYUSB.INF with a text editor (notepad.exe, for instance)

Locate the following sections **[Device]**,**[Device.NT]**,**[Device.Ntx86]** and **[Device.Ntamd64]** and remove the semicolon of each item under the each section

```
;%VID_XXXX&PID_XXXX.DeviceDesc%  
=CyUsb, USB\VID_XXXX&PID_XXXX
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the above listed sections like following:

```
%VID_04B4&PID_DE01.DeviceDesc%=CyUSB,  
USB\VID_04B4&PID_DE01
```

Change [String] section for Device Description according to the Vendor ID and Product ID.

```
VID_XXXX&PID_XXXX.DeviceDesc="Cypress  
USB Generic Driver (3.4.3.00)"
```

Change the **VID_XXXX** to contain the hexadecimal value of the **VendorID** for the device

Change the **PID_XXXX** to contain the hexadecimal value of the **ProductID** for the device

For example, a device with vendorID **0x04B4** and productID **0xDE01** would have a new entry in the [Strings] section like the following:
VID_04B4&PID_DE01.DeviceDesc="Cypress OTG DE1 DevBoard"

Save the file.

Step 2 : Force Windows Vista/Windows 7 to use the CYUSB.SYS driver with the device.

Connect the device to the PC

If Windows prompts for a driver or indicates that it needs a driver, direct the PC to use the CYUSB.SYS driver by steering it to the CYUSB.INF file in the [InstallDir]\Driver directory.

If Windows does not prompt for a driver, it has already matched the device to a driver itself. In this case, you will need to see if the CYUSB.SYS driver was selected and, if not, manually instruct Windows to use that driver.

Right-click **My Computer** and select the **Manage** menu item.

In the **Computer Management** window, select **Device Manager**

In the right window pane, click the + icon next to **Universal Serial Bus controllers**

Locate your device in the list and double click on it

Select the **Driver** tab in the Properties dialog that comes up

Click on the **Driver Details** button.

*If the displayed driver file is CYUSB.SYS, Windows has already matched the device to this driver and you should click **OK** and **Cancel** . If not, proceed with the remaining steps.*

Click **OK**

Click **Update Driver**

Select **Browse my computer for driver software**

Click **Next**

Select **Let me pick from a list of device drivers on my computer**

Click **Next**

Select **Select your device's type from list below and Select show all device**

Click **Next**

Click **Have Disk**

Click **Browse**

Navigate to the directory containing CYUSB.SYS (Directory Name for various Operating System and platform: wlh(windows Vista, windows 7) and select x86(32-bit OS) or x64(64-bit OS)) based on the platform you want to install driver on.

NOTE : Use Windows Vista driver binary for Windows 7 OS.

CYUSB.INF should be automatically placed in the File name field

Click **Open**

Click **OK**

Click **Next**

It will popup message saying Unsigned driver, Please select 'Install driver software anyway' and click ok.

Click **Finish**

Click **Close**

Don't re-boot your system if Windows suggests that you must. You may need to unplug and re-plug your device, however.

5 Reinstalling the Driver

Things to be taken care

While reinstalling the driver with another .inf file which contains the same VID- PID combination, it's safe to remove all oemXX.inf and oemXX.pnf files from the directory "C:\WINDOWS\inf" which have same VID-PID combination.

Note:

Installing the driver using .inf file, Windows creates corresponding oemXX.inf and oemXX.pnf backup files in the directory "C:\WINDOWS\inf". There is a chance for mistaking the backup .inf file instead of the new .inf file that customer really want to install.

6 The IOCTL Interface

The IO Control Interface

[Previous](#) [Top](#) [Next](#)

Applications software communicates with the CYUSB.SYS driver primarily through the DeviceIoControl() function. (See the Windows SDK documentation for details about DeviceIoControl.)

Calls to DeviceIoControl require an IO Control (aka IOCTL) code parameter. The IOCTL codes define the programming interface that a driver supports and are particular to any given driver. The control code specified in a DeviceIoControl() call determines the values that must be specified for the other DeviceIoControl parameters.

This help file provides the IOCTL 'dictionary' for the CYUSB.SYS driver.

Example

```
DWORD dwBytes = 0;
UCHAR EndptAddress = 0x82;

DeviceIoControl(hDevice, IOCTL_ADAPT_RESET_PIPE,
                &EndptAddress, sizeof (EndptAddress),
                NULL, 0,
                &dwBytes, NULL);
```

6.1 Getting a Handle to the Driver

Getting a Handle to the Driver

[Previous](#) [Top](#) [Next](#)

In order to use the IOCTL codes supported by the driver, you will need to obtain a Windows handle to the driver.

A very simple way to accomplish this is to utilize the CyAPI class library. After creating a CCyUSBDevice object, a handle to the driver will have been setup automatically. Closing or deleting the

CCyUSBDevice object frees the handle.

Example 1:

```
CCyUSBDevice *USBDevice = new CCyUSBDevice();
HANDLE hDevice = USBDevice->DeviceHandle();
.
.
.
.
delete USBDevice;
```

The more typical (and complex) way to obtain a handle is to make a sequence of SetupDi calls, passing the driver GUID declared in CyAPI.h. The default driver guid is defined as:

```
// {AE18AA60-7F6A-11d4-97DD-00010229B959}
static GUID CYUSBDRV_GUID = {0xae18aa60, 0x7f6a, 0x11d4, 0x97, 0xdd, 0x0, 0x1, 0x2,
0x29, 0xb9, 0x59};
```

The CyAPI library uses the following code to obtain a handle, using the GUID.

Example 2:

```
SP_DEVINFO_DATA devInfoData;
SP_DEVICE_INTERFACE_DATA devInterfaceData;
PSP_INTERFACE_DEVICE_DETAIL_DATA functionClassDeviceData;

ULONG requiredLength = 0;
int deviceNumber = 0; // Can be other values if more than 1 device connected to driver

HDEVINFO hwDeviceInfo = SetupDiGetClassDevs ( (LPGUID) &CYUSBDRV_GUID,
NULL,
NULL,
DIGCF_PRESENT|DIGCF_INTERFACEDEVICE);

if (hwDeviceInfo != INVALID_HANDLE_VALUE) {

devInterfaceData.cbSize = sizeof(devInterfaceData);

if (SetupDiEnumDeviceInterfaces ( hwDeviceInfo, 0, (LPGUID) &CYUSBDRV_GUID,
deviceNumber, &devInterfaceData)) {

SetupDiGetInterfaceDeviceDetail ( hwDeviceInfo, &devInterfaceData, NULL, 0,
&requiredLength, NULL);

ULONG predictedLength = requiredLength;

functionClassDeviceData = (PSP_INTERFACE_DEVICE_DETAIL_DATA) malloc
(predictedLength);
```

```
functionClassDeviceData->cbSize = sizeof ( SP_INTERFACE_DEVICE_DETAIL_DATA );

devInfoData.cbSize = sizeof( devInfoData );

if ( SetupDiGetInterfaceDeviceDetail ( hwDeviceInfo,
                                     &devInterfaceData,
                                     functionClassDeviceData,
                                     predictedLength,
                                     &requiredLength,
                                     &devInfoData) ) {

    hDevice = CreateFile ( functionClassDeviceData->DevicePath,
                          GENERIC_WRITE | GENERIC_READ,
                          FILE_SHARE_WRITE | FILE_SHARE_READ,
                          NULL,
                          OPEN_EXISTING,
                          FILE_FLAG_OVERLAPPED,
                          NULL );

    free( functionClassDeviceData );
    SetupDiDestroyDeviceInfoList( hwDeviceInfo );
}

}

}
```

6.2 IOCTL_ADAPT_ABORT_PIPE

IOCTL_ADAPT_ABORT_PIPE

[Previous](#) [Top](#) [Next](#)

Description

This command is used to cancel pending IO requests on an endpoint.

A pointer to a variable containing the endpoint address is passed as the lpInBuffer parameter to the DeviceIoControl() function. A null pointer is passed as the lpOutBuffer parameter.

Example

```
DWORD dwBytes = 0;
UCHAR Address = 0x82;

DeviceIoControl( hDevice, IOCTL_ADAPT_ABORT_PIPE,
                &Address, sizeof ( UCHAR ),
                NULL, 0,
                &dwBytes, NULL );
```

6.3 IOCTL_ADAPT_CYCLE_PORT

IOCTL_ADAPT_CYCLE_PORT

[Previous](#) [Top](#) [Next](#)

Description

This command causes the USB device to be logically disconnected from the bus and, then, re-connected.

NULL pointers are passed to DeviceIoControl in the pInBuffer and pOutBuffer parameters.

Example

```
DWORD dwBytes = 0;

DeviceIoControl(hDevice, IOCTL_ADAPT_CYCLE_PORT,
               NULL, 0,
               NULL, 0,
               &dwBytes, NULL);
```

6.4 IOCTL_ADAPT_GET_ADDRESS

IOCTL_ADAPT_GET_ADDRESS

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the USB address of the device from the Windows host controller driver.

A pointer to a 1-byte variable is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The size of the variable (1) is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD dwBytes = 0;
UCHAR DevAddr;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_ADDRESS,
               &DevAddr, sizeof (UCHAR),
               &DevAddr, sizeof (UCHAR),
               &dwBytes, NULL);
```

6.5 IOCTL_ADAPT_GET_ALT_INTERFACE_SETTING

IOCTL_ADAPT_GET_ALT_INTERFACE_SETTING

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the alternate interface setting for a particular interface of the attached device.

A pointer to a byte indicating the interface number is passed as the lpInBuffer parameter to the DeviceIoControl() function.

A pointer to a byte into which the alternate interface setting will be reported is passed as the lpOutBuffer parameter to the DeviceIoControl() function.

The length of the variables (1) is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD dwBytes = 0;
UCHAR intf = 0;
UCHAR alt;
```

```
DeviceIoControl(hDevice, IOCTL_ADAPT_GET_ALT_INTERFACE_SETTING,
                &intf, sizeof (alt),
                &alt, sizeof (alt),
                &dwBytes, NULL);
```

6.6 IOCTL_ADAPT_GET_CURRENT_FRAME

IOCTL_ADAPT_GET_CURRENT_FRAME

[Previous](#) [Top](#) [Next](#)

Description

This command returns the current frame number from the host controller driver.

A pointer to a 4-byte variable is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The size of the variable (4) is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD dwBytes = 0;
ULONG CurrentFrame;

DeviceIoControl(hDevice,
                IOCTL_ADAPT_GET_CURRENT_FRAME,
                &CurrentFrame, sizeof (ULONG),
                &CurrentFrame, sizeof (ULONG),
                &dwBytes, NULL);
```

6.7 IOCTL_ADAPT_GET_DEVICE_NAME

IOCTL_ADAPT_GET_DEVICE_NAME

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the Product string descriptor value for the attached device.

A pointer to a character buffer is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The length of the buffer is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD dwBytes = 0;
ULONG len = 256;
UCHAR *buf = new UCHAR[ len];

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_DEVICE_NAME,
               buf, len,
               buf, len,
               &dwBytes, NULL);

delete[] buf;
```

6.8 IOCTL_ADAPT_GET_DEVICE_POWER_STATE

IOCTL_ADAPT_GET_DEVICE_POWER_STATE

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the power state of the device

A pointer to a ULONG variable (pwrState) is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The size of the pwrState variable (4) is passed in the nInBufferSize and nOutBufferSize parameters.

Possible return values for the pwrState are:

- 1 => Power State D0 (Full On)
- 2 => Power State D1
- 3 => Power State D2
- 4 => Power State D3 (Full Asleep)

Example

```
DWORD dwBytes = 0;
```

```

ULONG pwrState;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_DEVICE_POWER_STATE,
               &pwrState, sizeof (pwrState),
               &pwrState, sizeof (pwrState),
               &dwBytes, NULL);

```

6.9 IOCTL_ADAPT_GET_DEVICE_SPEED

IOCTL_ADAPT_GET_DEVICE_SPEED

[Previous](#) [Top](#) [Next](#)

Description

This command attempts to report the current operating speed of the USB device. It will return **DEVICE_SPEED_HIGH**, **DEVICE_SPEED_LOW_FULL**, or **DEVICE_SPEED_UNKNOWN**. It uses the **IsDeviceHighSpeed** routine, but this routine is only supported in Version 1 of the USBBD interface. Windows 2K SP4, Windows XP and later all support Version 1 of the USBBD interface. If the **IsDeviceHighSpeed** routine is not available, **DEVICE_SPEED_UNKNOWN** is returned.

A pointer to a 4-byte variable is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The size of the variable (4) is passed in the nInBufferSize and nOutBufferSize parameters.

Defines (cyioctl.h)

```

#define DEVICE_SPEED_UNKNOWN
0x00000000
#define DEVICE_SPEED_LOW_FULL
0x00000001
#define DEVICE_SPEED_HIGH      0x00000002

```

Example

```

DWORD dwBytes = 0;
ULONG DevSpeed;

DeviceIoControl(hDevice,
               IOCTL_ADAPT_GET_DEVICE_SPEED,
               &DevSpeed, sizeof (ULONG),
               &DevSpeed, sizeof (ULONG),
               &dwBytes, NULL);

```

6.10 IOCTL_ADAPT_GET_DRIVER_VERSION

IOCTL_ADAPT_GET_DRIVER_VERSION

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the version of the driver.

A pointer to a 4-byte variable is passed as both the `lpInBuffer` and `lpOutBuffer` parameters to the `DeviceIoControl()` function.

The size of the variable (4) is passed in the `nInBufferSize` and `nOutBufferSize` parameters.

Example

```
DWORD dwBytes = 0;
ULONG ver;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_DRIVER_VERSION,
               &ver, sizeof (ver),
               &ver, sizeof (ver),
               &dwBytes, NULL);
```

6.11 IOCTL_ADAPT_GET_FRIENDLY_NAME

IOCTL_ADAPT_GET_FRIENDLY_NAME

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the string associated with the device in the [Strings] section of the `CyUSB.inf` file.

A pointer to an array of unsigned characters is passed as both the `lpInBuffer` and `lpOutBuffer` parameters to the `DeviceIoControl()` function.

The size of the array is passed in the `nInBufferSize` and `nOutBufferSize` parameters.

Example

```
DWORD dwBytes = 0;
PUCHAR FriendlyName = new UCHAR[256];

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_FRIENDLY_NAME,
               FriendlyName, 256,
               FriendlyName, 256,
               &dwBytes, NULL);

delete[] FriendlyName;
```

6.12 IOCTL_ADAPT_GET_NUMBER_ENDPOINTS

IOCTL_ADAPT_GET_NUMBER_ENDP

[Previous](#) [Top](#) [Next](#)

OINTS

Description

This command retrieves the number of endpoints enumerated by the current interface / alternate interface setting.

A null pointer is passed as the lpInBuffer parameter to the DeviceIoControl() function. Zero is passed as the nInBufferSize parameter.

The address of an unsigned character is passed as the lpOutBuffer parameter to the DeviceIoControl() function. The size of the variable (1) is passed in the nOutBufferSize parameter.

Example

```
DWORD dwBytes = 0;
UCHAR endPts;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_NUMBER_ENDPOINTS,
                NULL, 0,
                &endPts, sizeof (endPts),
                &dwBytes, NULL);
```

6.13 IOCTL_ADAPT_GET_TRANSFER_SIZE

IOCTL_ADAPT_GET_TRANSFER_SIZE

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the current transfer size for a given endpoint. The transfer size is not the same as the MaxPacketSize for the endpoint. Rather, the transfer size is always an integral multiple of the endpoint's MaxPacketSize.

A pointer to a SET_TRANSFER_SIZE_INFO structure is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function. This structure must be pre-loaded with the address of the endpoint of interest. Upon return, the structure will contain the transfer size of endpoint.

The size of the structure is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD BytesXfered;
SET_TRANSFER_SIZE_INFO SetTransferInfo;
SetTransferInfo.EndpointAddress = Address;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_TRANSFER_SIZE,
                &SetTransferInfo, sizeof (SET_TRANSFER_SIZE_INFO),
                &SetTransferInfo, sizeof (SET_TRANSFER_SIZE_INFO),
                &BytesXfered, NULL);
```

```
LONG transferSz = SetTransferInfo.TransferSize;
```

6.14 IOCTL_ADAPT_GET_USBDI_VERSION

IOCTL_ADAPT_GET_USBDI_VERSION

[Previous](#) [Top](#) [Next](#)

Description

This command retrieves the version of the USB Host Controller Driver in BCD format.

A pointer to a 4-byte variable is passed as both the `lInBuffer` and `lpOutBuffer` parameters to the `DeviceIoControl()` function.

The size of the variable (4) is passed in the `nInBufferSize` and `nOutBufferSize` parameters.

Example

```
DWORD dwBytes = 0;
ULONG ver;

DeviceIoControl(hDevice, IOCTL_ADAPT_GET_USBDI_VERSION,
               &ver, sizeof (ver),
               &ver, sizeof (ver),
               &dwBytes, NULL);
```

6.15 IOCTL_ADAPT_RESET_PARENT_PORT

IOCTL_ADAPT_RESET_PARENT_PORT

[Previous](#) [Top](#) [Next](#)

Description

This command resets the device, clearing any error or stall conditions. Pending data transfers are not cancelled by this command.

A null pointer is passed as both the `lInBuffer` and `lpOutBuffer` parameters to the `DeviceIoControl()` function.

Example

```
DWORD dwBytes;

DeviceIoControl(hDevice, IOCTL_ADAPT_RESET_PARENT_PORT,
               NULL, 0,
               NULL, 0,
               &dwBytes, NULL);
```

6.16 IOCTL_ADAPT_RESET_PIPE

IOCTL_ADAPT_RESET_PIPE

[Previous](#) [Top](#) [Next](#)

Description

This command resets an endpoint of the device, clearing any error or stall conditions on that endpoint. Pending data transfers are not cancelled by this command.

The address of a single byte is passed as the `lpInBuffer` parameter to the `DeviceIoControl()` function.

A null pointer is passed as the `lpOutBuffer` parameter.

Example

```
DWORD dwBytes;
UCHAR Address = 0x82;

DeviceIoControl(hDevice, IOCTL_ADAPT_RESET_PIPE,
                &Address, sizeof (Address)
                NULL, 0,
                &dwBytes, NULL);
```

6.17 IOCTL_ADAPT_SELECT_INTERFACE

IOCTL_ADAPT_SELECT_INTERFACE

[Previous](#) [Top](#) [Next](#)

Description

This command sets the alternate interface setting for the primary interface of the attached device.

A pointer to a byte indicating the alternate interface setting is passed as both the `lpInBuffer` and `lpOutBuffer` parameters to the `DeviceIoControl()` function.

The length of the variable (1) is passed in the `nInBufferSize` and `nOutBufferSize` parameters.

Example

```
DWORD dwBytes = 0;
UCHAR alt = 2;

DeviceIoControl (hDevice, IOCTL_ADAPT_SELECT_INTERFACE,
                &alt, sizeof (alt),
                &alt, sizeof (alt),
                &dwBytes, NULL);
```

6.18 IOCTL_ADAPT_SEND_EP0_CONTROL_TRANSFER

IOCTL_ADAPT_SEND_EP0_CONTROL

[Previous](#) [Top](#) [Next](#)

_TRANSFER

Description

This command sends a control request to the default Control endpoint, endpoint zero.

DeviceIoControl() is passed a pointer to a two-part structure as both the lpInBuffer and lpOutBuffer parameters. This two-part structure contains a SINGLE_TRANSFER structure followed by a data buffer.

The SINGLE_TRANSFER structure contains all the parameters for the control request.

The buffer contains the transfer data.

Example

```

union {
    struct {
        UCHAR Recipient:5;
        UCHAR Type:2;
        UCHAR Direction:1;
    } bmRequest;

    UCHAR bmReq;
};

bmRequest.Recipient = 0; // Device
bmRequest.Type      = 2; // Vendor
bmRequest.Direction = 1; // IN command (from Device to Host)

int iXmitBufSize = sizeof(SINGLE_TRANSFER) + bufLen; // The size of the two-part
structure
UCHAR *pXmitBuf = new UCHAR[iXmitBufSize];          // Allocate the memory
ZeroMemory(pXmitBuf, iXmitBufSize);

PSINGLE_TRANSFER pTransfer = (PSINGLE_TRANSFER)pXmitBuf; // The SINGLE_TRANSFER comes
first
pTransfer->SetupPacket.bmRequest = bmReq;
pTransfer->SetupPacket.bRequest = ReqCode;
pTransfer->SetupPacket.wValue = Value;
pTransfer->SetupPacket.wIndex = Index;
pTransfer->SetupPacket.wLength = bufLen;
pTransfer->SetupPacket.ulTimeOut = TimeOut / 1000;
pTransfer->Reserved = 0;
pTransfer->ucEndpointAddress = 0x00; // Control pipe
pTransfer->IsoPacketLength = 0;
pTransfer->BufferOffset = sizeof(SINGLE_TRANSFER);
pTransfer->BufferLength = bufLen;
DWORD dwReturnBytes;

DeviceIoControl(hDevice, IOCTL_ADAPT_SEND_EPO_CONTROL_TRANSFER,
                pXmitBuf, iXmitBufSize,
                pXmitBuf, iXmitBufSize,
                &dwReturnBytes, NULL);

```

```
// Copy data into buf
UCHAR *ptr = pXmitBuf + sizeof ( SINGLE_TRANSFER );
memcpy( buf, ptr, dwReturnBytes );
```

6.19 IOCTL_ADAPT_SEND_NON_EP0_TRANSFER

IOCTL_ADAPT_SEND_NON_EP0_TRANSFER

[Previous](#) [Top](#) [Next](#)

Description

NOTE:

With the release of CyUSB.sys version 1.5.503.0, the faster IOCTL_ADAPT_SEND_NON_EP0_DIRECT should be used instead of this command. IOCTL_ADAPT_SEND_NON_EP0_TRANSFER remains supported only to provide driver compatibility to existing applications that use it.

This IOCTL command is used to request Bulk, Interrupt or Isochronous data transfers across corresponding USB device endpoints.

Regardless of whether the endpoint is an IN or an OUT endpoint, a pointer to a single data structure is passed to DeviceIoControl() as both the lpInBuffer and lpOutBuffer parameters. The driver expects that the pointer references a SINGLE_TRANSFER structure, followed by a data buffer. In the case of OUT endpoints, the buffer is expected to contain the data bytes to be transmitted. In the case of an IN endpoint, the buffer is expected to be the writeable memory for received data bytes.

Example

```
PUCHAR CCyBulkEndPoint::BeginDataXfer( PCHAR
buf, LONG bufLen, OVERLAPPED *ov)
{
    if ( hDevice == INVALID_HANDLE_VALUE) return
    NULL;

    int iXmitBufSize = sizeof ( SINGLE_TRANSFER)
    + bufLen;
    PCHAR pXmitBuf = new UCHAR[ iXmitBufSize ];
    ZeroMemory( pXmitBuf, iXmitBufSize );

    PSINGLE_TRANSFER pTransfer =
    ( PSINGLE_TRANSFER) pXmitBuf;
    pTransfer->Reserved = 0;
    pTransfer->ucEndpointAddress = Address;
    pTransfer->IsoPacketLength = 0;
    pTransfer->BufferOffset = sizeof
```

```

(SINGLE_TRANSFER);
pTransfer->BufferLength = bufLen;

// Copy buf into pXmitBuf
UCHAR *ptr = (PUCHAR) pTransfer +
pTransfer->BufferOffset;
memcpy(ptr, buf, bufLen);

DWORD dwReturnBytes;
DeviceIoControl( hDevice,
IOCTL_ADAPT_SEND_NON_EP0_TRANSFER,
                                pXmitBuf,
iXmitBufSize,
                                pXmitBuf,
iXmitBufSize,
                                &dwReturnBytes, ov);

return pXmitBuf;
}

```

6.20 IOCTL_ADAPT_SEND_NON_EP0_DIRECT

IOCTL_ADAPT_SEND_NON_EP0_DIRECT

[Previous](#) [Top](#) [Next](#)

Description

This IOCTL is used to request Bulk, Interrupt or Isochronous data transfers across corresponding USB device endpoints.

This IOCTL is only exposed by the CyUSB.sys driver version 1.5.503.0 or later. It optimizes throughput by using separate buffers for the SINGLE_TRANSFER structure and the transfer data. (The CyAPI.lib class library, version 1.0.5.0, uses this command, instead of the slower IOCTL_ADAPT_SEND_NON_EP0_TRANSFER, if it detects a capable driver.)

For CyUSB.sys driver version 1.07.000 or later, additional ISOC transfers can be performed such as the capability to specify the current frame number (plus an optional frame offset) or simply set the frame number that the transfer should begin on. To use these advanced features, a properly formatted ISO_ADV_PARAMS must be properly initialized within the SINGLE_TRANSFER structure. See the definition of ISO_ADV_PARAMS for implementation details.

The DeviceIoControl call requires two buffer parameters. For this command, the first buffer must contain a properly initialized SINGLE_TRANSFER structure.

The SINGLE_TRANSFER fields of BufferOffset and BufferLength should be set to 0 for this command.

The second buffer is for the actual transfer data. For an OUT endpoint, this will contain the data headed to the USB device. For an IN endpoint, this buffer will hold the data that is received from the device.

Special ISOC Constraints

The endpoint maximum transfer size and buffer length parameter must both be a multiple of the endpoint's MaxPacketSize.

For ISOC transfers on a device operating at High speed, the following constraints apply to this command:

- 1) The endpoint transfer size must be a multiple of the endpoint's MaxPacketSize * 8. (See IOCTL_ADAPT_SET_TRANSFER_SIZE.)
- 2) The buffer length parameter (bufLen in the below examples) must also be a multiple of the endpoint's MaxPacketSize * 8.

Note: The above 2 constraints apply to all ISOC transfers, regardless of speed, if using a version of CyUSB.sys older than 1.7.0.0.

The SINGLE_TRANSFER structure must be followed by additional space sufficient to hold the PACKET_INFO structures for the transfer (see examples #2 and #3, below).

Example #1 (Bulk and Interrupt endpoints)

```

PUCHAR CCyUSBEndPoint::BeginDirectXfer
(PUCHAR buf, LONG bufLen, OVERLAPPED *ov)
{
    if ( hDevice == INVALID_HANDLE_VALUE )
        return NULL;

    int iXmitBufSize = sizeof
(SINGLE_TRANSFER);
    PCHAR pXmitBuf = new UCHAR[iXmitBufSize];
    ZeroMemory (pXmitBuf, iXmitBufSize);

    PSINGLE_TRANSFER pTransfer =
(SINGLE_TRANSFER) pXmitBuf;
    pTransfer->ucEndpointAddress = Address;
    pTransfer->IsoPacketLength = 0;
    pTransfer->BufferOffset = 0;
    pTransfer->BufferLength = 0;

    DWORD dwReturnBytes;
    DeviceIoControl (hDevice,
        IOCTL_ADAPT_SEND_NON_EP0_DIRECT,
        pXmitBuf, iXmitBufSize,
        buf, bufLen,
        &dwReturnBytes, ov);

    // Note that this method leaves pXmitBuf
    // allocated. It will get deleted in
    // FinishDataXfer.

```

```

LastError = GetLastError();
return pXmitBuf;
}

```

Example #2 (ISOC endpoints)

```

PUCHAR CCyIsocEndPoint::BeginDirectXfer
(PUCHAR buf, LONG bufLen, OVERLAPPED *ov)
{
if ( hDevice == INVALID_HANDLE_VALUE )
return NULL;

int pkts = bufLen / MaxPktSize; // Number
of packets implied by bufLen & pktSize
if ( bufLen % MaxPktSize) pkts++;

if ( pkts == 0) return NULL;

int iXmitBufSize = sizeof ( SINGLE_TRANSFER)
+ ( pkts * sizeof( ISO_PACKET_INFO));
UCHAR *pXmitBuf = new UCHAR[ iXmitBufSize];
ZeroMemory ( pXmitBuf, iXmitBufSize);

PSINGLE_TRANSFER pTransfer =
( PSINGLE_TRANSFER) pXmitBuf;
pTransfer->ucEndpointAddress = Address;
pTransfer->IsoPacketOffset = sizeof
( SINGLE_TRANSFER);
pTransfer->IsoPacketLength = pkts * sizeof
( ISO_PACKET_INFO);
pTransfer->BufferOffset = 0;
pTransfer->BufferLength = 0;

DWORD dwReturnBytes = 0;
DeviceIoControl ( hDevice,
IOCTL_ADAPT_SEND_NON_EP0_DIRECT,
pXmitBuf, iXmitBufSize,
buf, bufLen,
&dwReturnBytes, ov);

// Note that this method leaves pXmitBuf
allocated. It will get deleted in
// FinishDataXfer.

LastError = GetLastError();
return pXmitBuf;
}

```

Example #3 (ISOC endpoints – advanced/ driver version >= 1.07.000)

```
PUCHAR CCyIsocEndPoint::BeginDirectXfer
(PUCHAR buf, LONG bufLen, OVERLAPPED *ov)
{
    if ( hDevice == INVALID_HANDLE_VALUE )
        return NULL;

    int pkts = bufLen / MaxPktSize; // Number
    of packets implied by bufLen & pktSize

    if ( bufLen % MaxPktSize) pkts++;

    if ( pkts == 0) return NULL;

    int iXmitBufSize = sizeof ( SINGLE_TRANSFER)
    + ( pkts * sizeof( ISO_PACKET_INFO));
    UCHAR *pXmitBuf = new UCHAR[ iXmitBufSize];
    ZeroMemory ( pXmitBuf, iXmitBufSize);

    PSINGLE_TRANSFER pTransfer =
    ( PSINGLE_TRANSFER) pXmitBuf;

    pTransfer->ucEndpointAddress = Address;
    pTransfer->IsoPacketOffset = sizeof
    ( SINGLE_TRANSFER);
    pTransfer->IsoPacketLength = pkts * sizeof
    ( ISO_PACKET_INFO);
    pTransfer->IsoParams.isoId = USB_ISO_ID;

    pTransfer->IsoParams.isoCmd =
    USB_ISO_CMD_ASAP;
    pTransfer->IsoParams.ulParam1 = 0;

    DWORD dwReturnBytes = 0;

    DeviceIoControl ( hDevice,
        IOCTL_ADAPT_SEND_NON_EP0_DIRECT,
        T,
        pXmitBuf, iXmitBufSize,
        buf, bufLen,
        &dwReturnBytes, ov);

    // Note that this method leaves pXmitBuf
    allocated. It will get deleted in
    // FinishDataXfer.

    LastError = GetLastError();

    return pXmitBuf;
}
```

6.21 IOCTL_ADAPT_SET_DEVICE_POWER_STATE

IOCTL_ADAPT_SET_DEVICE_POWER_STATE

[Previous](#) [Top](#) [Next](#)

Description

This command sets the power state of the device.

A pointer to a ULONG variable (pwrState) is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function.

The size of the pwrState variable (4) is passed in the nInBufferSize and nOutBufferSize parameters.

Valid values for the pwrState are:

- 1 => Power State D0 (Full On)
- 2 => Power State D1
- 3 => Power State D2
- 4 => Power State D3 (Full Asleep)

Example

```
// Put the device into full asleep (Device Power State D3)
DWORD dwBytes = 0;
ULONG pwrState = 4;

DeviceIoControl(hDevice, IOCTL_ADAPT_SET_DEVICE_POWER_STATE,
                &pwrState, sizeof (pwrState),
                &pwrState, sizeof (pwrState),
                &dwBytes, NULL);
```

6.22 IOCTL_ADAPT_SET_TRANSFER_SIZE

IOCTL_ADAPT_SET_TRANSFER_SIZE

[Previous](#) [Top](#) [Next](#)

Description

This command sets the transfer size for a given endpoint. The transfer size is not the same as the MaxPacketSize for the endpoint. Rather, the transfer size is always an integral multiple of the endpoint's MaxPacketSize.

Small transfer sizes are memory efficient but result in multiple operations to effect a data transfer. Larger transfer sizes are more wasteful of memory, but accomplish larger data transfers with fewer IO transactions.

A pointer to a SET_TRANSFER_SIZE_INFO structure is passed as both the lpInBuffer and lpOutBuffer parameters to the DeviceIoControl() function. This structure contains the address of the endpoint that is to be changed and the new transfer size.

The size of the structure is passed in the nInBufferSize and nOutBufferSize parameters.

Example

```
DWORD BytesXfered;
SET_TRANSFER_SIZE_INFO SetTransferInfo;
SetTransferInfo.EndpointAddress = Address;
SetTransferInfo.TransferSize = 0x2000;    // An 8 KB transfer size

DeviceIoControl(hDevice, IOCTL_ADAPT_SET_TRANSFER_SIZE,
                &SetTransferInfo, sizeof (SET_TRANSFER_SIZE_INFO),
                &SetTransferInfo, sizeof (SET_TRANSFER_SIZE_INFO),
                &BytesXfered, NULL);
```

7 CYIOCTL.H

typedef struct _SINGLE_TRANSFER

[Previous](#) [Top](#) [Next](#)

Header

cyioctl.h

Description

A pointer to a SINGLE_TRANSFER structure is passed to the driver for the [IOCTL_ADAPT_SEND_NON_EP0_TRANSFER](#) and [IOCTL_ADAPT_SEND_EP0_CONTROL_TRANSFER](#) commands.

The structure is defined as:

```
typedef struct _SINGLE_TRANSFER {
    union {
        SETUP_PACKET    SetupPacket;
        ISO_ADV_PARAMS  IsoParams;
    };

    UCHAR Reserved;
    UCHAR ucEndpointAddress;
    ULONG NtStatus;
    ULONG UsbdStatus;
    ULONG IsoPacketOffset;
    ULONG IsoPacketLength;
    ULONG BufferOffset;
```

```
ULONG BufferLength;  
} SINGLE_TRANSFER, *PSINGLE_TRANSFER;
```

Members

SetupPacket

Contains required parameters for Control Endpoint transfers,

IsoParams

Contains optional parameters for Isochronous Endpoint transfers.

reserved

Reserved. Should be set to 0.

ucEndpointAddress

Specified the address of the device endpoint in which the transfer will occur.

NtStatus

NTSTATUS values that are returned by the driver.

UsbdStatus

USB_STATUS_XXX codes returned from the host controller driver.

IsoPacketOffset

Specifies the byte offset from the beginning of the structure to an IsoPacket list.

IsoPacketLength

The length, in bytes, of the IsoPacket list specified at offset IsoPacketOffset.

BufferOffset

Specifies the byte offset from the beginning of the structure to a transfer buffer.

BufferLength

The length, in bytes, of the transfer buffer at offset BufferOffset.

7.1 ISO_ADV_PARAMS

`typedef struct _ISO_ADV_PARAMS`

[Previous](#) [Top](#) [Next](#)

Header
cyioctl.h

Description

ISO_ADV_PARAMS is part of the a [SINGLE_TRANSFER](#) structure. It contains advanced parameters for Isochronous endpoint transfers when sending the IOCTL_ADAPT_SEND_NON_EP0_TRANSFER and IOCTL_ADAPT_SEND_NON_EP0_DIRECT commands.

The structure is defined as:

```
typedef struct _ISO_ADV_PARAMS {
    USHORT isoId;
    USHORT isoCmd;
    ULONG ulParam1;
    ULONG ulParam2;
} ISO_ADV_PARAMS, *PISO_ADV_PARAMS;
```

Defines

```
#define USB_ISO_ID
0x4945
#define USB_ISO_CMD_ASAP
0x8000
#define USB_ISO_CMD_CURRENT_FRAME
0x8001
#define USB_ISO_CMD_SET_FRAME
0x8002
```

Members

`isoId`

ISO_ADV_PARAMS structure identifier must be set to `USB_ISO_ID`.

`isoCmd`

Specifies one of the following types of Isoch transfers:

`USB_ISO_CMD_ASAP`

If no transfers have been submitted to the pipe since the pipe was opened or last reset, the transfer to begin on the next frame. Otherwise, the transfer will begin on the first frame following all currently queued requests for the pipe.

`USB_ISO_CMD_CURRENT_FRAME`

Causes the transfer to begin on the current frame number obtained from the host controller driver, plus an optional offset specified in the `ulParam1` field.

`USB_ISO_CMD_SET_FRAME`

Causes the transfer to begin on the frame number specified in the `ulParam1` field.

`ulParam1`

If `isoCMD` is set to `USB_ISO_CMD_ASAP`, when the request is returned by the driver this field will contain the frame number that the transfer began on.

If `isoCMD` is set to `USB_ISO_CMD_CURRENT_FRAME`, this field contains the offset from the current frame number that this transfer will begin on.

If `isoCMD` is set to `USB_ISO_CMD_SET_FRAME`, this field contains the frame number that this transfer will begin on.

`ulParam2`

Reserved. Must be set to 0.

7.2 SINGLE_TRANSFER

typedef struct _SINGLE_TRANSFER

[Previous](#) [Top](#) [Next](#)

Header

cyioctl.h

Description

A pointer to a SINGLE_TRANSFER structure is passed to the driver for the [IOCTL_ADAPT_SEND_NON_EP0_TRANSFER](#) and [IOCTL_ADAPT_SEND_EP0_CONTROL_TRANSFER](#) commands.

The structure is defined as:

```
typedef struct _SINGLE_TRANSFER {  
  
    union {  
        SETUP_PACKET    SetupPacket;  
        ISO_ADV_PARAMS   IsoParams;  
    };  
  
    UCHAR Reserved;  
    UCHAR ucEndpointAddress;  
    ULONG NtStatus;  
    ULONG UsbdStatus;  
    ULONG IsoPacketOffset;  
    ULONG IsoPacketLength;  
    ULONG BufferOffset;  
    ULONG BufferLength;  
} SINGLE_TRANSFER, *PSINGLE_TRANSFER;
```

Members

SetupPacket

Contains required parameters for Control Endpoint transfers,

IsoParams

Contains optional parameters for Isochronous Endpoint transfers.

reserved

Reserved. Should be set to 0.

ucEndpointAddress

Specified the address of the device endpoint in which the transfer will occur.

NtStatus

NTSTATUS values that are returned by the driver.

UsbdStatus

USB_STATUS_XXX codes returned from the host controller driver.

IsoPacketOffset

Specifies the byte offset from the beginning of the structure to an IsoPacket list.

IsoPacketLength

The length, in bytes, of the IsoPacket list specified at offset IsoPacketOffset.

BufferOffset

Specifies the byte offset from the beginning of the structure to a transfer buffer.

BufferLength

The length, in bytes, of the transfer buffer at offset BufferOffset.

7.3 SETUP_PACKET

typedef struct _SETUP_PACKET

[Previous](#) [Top](#) [Next](#)

Header
cyioctl.h

Description

A SETUP_PACKET is part of the a [SINGLE_TRANSFER](#) structure. It contains important parameters for Control Endpoint transfers when sending the [IOCTL_ADAPT_SEND_EP0_TRANSFER](#) command.

The structure is defined as:

```
typedef struct _SETUP_PACKET {  
  
    union {  
        BM_REQ_TYPE bmReqType;  
        UCHAR bmRequest;  
    };  
  
    UCHAR bRequest;  
  
    union {  
        WORD_SPLIT wVal;  
        USHORT wValue;  
    };  
  
    union {  
        WORD_SPLIT wIndx;  
        USHORT wIndex;  
    };  
  
    union {  
        WORD_SPLIT wLen;  
        USHORT wLength;  
    };  
  
    ULONG ulTimeOut;  
  
} SETUP_PACKET, *PSETUP_PACKET;
```

7.4 SET_TRANSFER_SIZE_INFO

```
typedef struct  
_SET_TRANSFER_SIZE_INFO
```

[Previous Top](#)

Header
cyioctl.h

Description

A pointer to a SET_TRANSFER_SIZE_INFO structure is passed to the driver for the [IOCTL_ADAPT_GET_TRANSFER_SIZE](#) and [IOCTL_ADAPT_SET_TRANSFER_SIZE](#) commands.

The structure is defined as:

```
typedef struct _SET_TRANSFER_SIZE_INFO {  
    UCHAR EndpointAddress;  
    ULONG TransferSize;  
} SET_TRANSFER_SIZE_INFO,  
*PSET_TRANSFER_SIZE_INFO;
```

Index

- • -

- 4

- C -

Compatible with any USB 2.0 compliant device 4

- S -

Supports automatic play-back of control transfer scripts at device startup 4

Supports Control

Interrupt and Isochronous endpoints 4

Supports customizable driver GUID without re-building the driver 4

Supports high bandwidth data transfers passing multiple packets per uframe 4

Supports multiple USB devices connected at once 4

Supports USB Remote Wake-up 4

Supports Windows PnP and Power Management level S4 4

- W -

WHQL Certified (not signed) 4

Windows Driver Model (WDM) compliant 4