

115200 Baud 8n1 no handshake

[00]

System startup

U-Boot 2010.06-788427 (Mar 27 2020 - 11:37:08)

SPI Nor:"W25M512JV", Block:64KB, Chip:64MB

Hit Ctrl+u to stop autoboot: 0

booting from pri part...

Load kernel to 0x81800000 ... Done!

Booting kernel from Legacy Image at 81800000 ...

Image Name: LiteOS-0.1.0-e2

Image Type: ARM Linux Kernel Image (lzma compressed)

Data Size: 5074736 Bytes = 4.8 MiB

Load Address: 80008000

Entry Point: 80008000

Uncompressing Kernel Image ... OK

Starting kernel ...

osApplInit

<4>parse_cmdline_info: parse IP= failed!

<4>parse_cmdline_info: parse SERVER= failed!

<4>parse_cmdline_info: parse MASK= failed!

<4>parse_cmdline_info: parse dbg= failed!

<4>parse_cmdline_info: parse MS_ACTION= failed!

<6>hikcommon init ...

<4>mmc0 power register success!

<6>watchdog init ...

<6>hik_rtc init ...

<6>uart_dev init ...

<6>uart232 init ...

cur support uart: uart1(rs485)

uart2(rs232)

uart1 cken enable!

uart2 cken enable!

Successfully insmod uart232 module!

<6>spi_dev init ...

<6>spi_io init ...

<6>dmac init ...

<6>i2c_dev init ...

<6>temp init ...

<6>pmic init ...

<6>ran_dev init ...

<6>mem_dev init ...

<6>framebuffer init ...

<6>proc_fs init ...

Mount procfs finished.

<6>cppsys init ...
<6>gpio_dev init ...
<6>SD_MMC_Host init ...

*****mmc host init ! *****

<6>spinor init ...
Spi Nor ID:0xEF 0x71 0x19 0x00 0x00 0x00 0x00 0x00
Spi Nor Flash Info:
Name:"W25M512JV" Size:64MB Block:64KB
spinor_chip_write_protect(168): write protect info: addr:0, size:0 enable:0!
spinor_chip_write_protect(168): write protect info: addr:0, size:0x1d00000 enable:1!
<6>hik_partition init ...
<6>st7789V init ...
<6>hikkeys init ...
<6>fuel_gauge init ...
<6>revision init ...
<6>pwm init ...
<6>led init ...
<3>led_init: bd_get_dev_desc error!
<6>net_init init ...

Calling lwIPRegSecSspCbk
enter hisi_eth_init!

hisi_eth init begin.
hisi_eth: User did not set phy mode, use default=rmii
hisi_eth: User did not set phy addr, auto scan...
Can't find PHY device - id: 0
<6>cm
[01-01 00:00:00][pid:0][SYSINIT][ERROR][hardwareif/e2l/main.c
301][user_sysinit]hik_bsp_init finish!
cyp test func position:sd_k_init.c...
cyp test func position:sd_k_init.c...
osal_proc_mkdir - parent is NULL! proc=0x811bc8f0
yxq before sysCfg...
pinmux_hi3518e LCD
add vicap_pin_mux
yxq vi_vpss_offline
yxq after sysCfg...
mem_start=0x80000000, MEM_OS_SIZE=32M, MEM_USB_SIZE=1M, mmz_start=0x82100000,
mm valid phase shift [1, 7] Final Phase 4
disk_init : register /dev/mmcblk0 ok!
z_size=31M
mmz param= anonymous,0,0x82100000,31M
<6>disk_add_part : register /dev/mmcblk0p0 ok!
Hisilicon Media Memory Zone Manager
load sys.ko for Hi3518EV200...OK!
load tde.ko ...OK!
load region.ko for Hi3518EV200...OK!
load vgs.ko for Hi3518EV200...OK!
load viu.ko for Hi3518EV200...OK!
ISP Mod init!
load vpss.ko for Hi3518EV200...OK!
load vou.ko for Hi3518EV200...OK!
Load hifb.ko OK!
load rc.ko ...OK!

```
load venc.ko ...OK!
load chnl.ko for Hi3518EV200...OK!
load h264e.ko ...OK!
load jpege.ko ...OK!
[ERR] Error!proc_dir_entry 'debug/pwm' already registered
<4>create_pwm_proc: create_dbg_proc error!
Load hi_cipher.ko success.
mipi_init
init phy power successful!
load hi_mipi driver successful!
load ai.ko OK!
load ao.ko OK!
load aenc.ko OK!
load adec.ko OK!
load ive.ko for Hi3518EV200...OK!
222 SDK init ok...
Load power ok.
power on.
Unload power success.
<6>hik_bsp_post_init: usb_device_init!
```

```
***** usb_init in *****
usb v2.13 2018-08-02 15:00
usb 0x82000000 ~+ 1024 KB
** fmass device initialized successfully! **
** composite attach success **
** fmass attach success **
usb0: EHCI version 1.0
usb0: 480Mbps High Speed USB v2.0
***** usb_init ok *****
```

```
[01-01 00:00:00][pid:0][SYSINIT][ERROR][hardwareif/e2l/main.c 325][user_sysinit]hik_sdk_init
finish!
```

```
@=>zhouzeyu func->sysInit start...
```

```
uhub0: <vendor 0x0000 EHCI root HUB, class 9/0, rev 2.00/1.00, addr 1> on usb0
```

```
[01-01 00:00:00][pid:0][SYSINIT][ERROR][hardwareif/e2l/main.c
```

```
356][user_sysinit]DspVoShowPic finish!
```

```
11111devType = 0xa41402
```

```
#####sensor_type=[189]#####
```

```
devType = 0xa41402.
```

```
[01-01 00:00:00][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
```

```
301][get_resolution_info][0]resolution_num_temp[1][0] = 1
```

```
OK
```

```
[01-01 00:00:00][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
```

```
301][get_resolution_info][1]resolution_num_temp[1][0] = 1
```

```
OK
```

```
----chan 0 osdType = 1
```

```
-----
```

```
powerLineFrequencyMode = 0
```

```
[01-01 00:00:00][pid:0][UNI_IF][ERROR][netitf/uninetif_ptzcontrol.c
```

```
2995][trans_uni_to_ptzcmd]unsupport command = 66
```

```
[01-01 00:00:00][pid:0][UNI_IF][ERROR][netitf/uninetif_ptzcontrol.c
```

```
2995][trans_uni_to_ptzcmd]unsupport command = 66
```

```
[01-01 00:00:00][pid:0][UNI_IF][ERROR][netitf/uninetif_ptzcontrol.c
```

```
2995][trans_uni_to_ptzcmd]unsupport command = 66
```


[illegible]

```
[01-01 00:00:02][pid:0][STRM_ANLS][ERROR][sec_db_enc.c 130][db_decrypt]invalid db_decrypt
parameter, src len:0
[01-01 00:00:02][pid:0][STRM_ANLS][ERROR][sec_db_enc.c 130][db_decrypt]invalid db_decrypt
parameter, src len:0
[01-01 00:00:02][pid:0][STRM_ANLS][ERROR][sec_db_enc.c 130][db_decrypt]invalid db_decrypt
parameter, src len:0
```

version = 33554432

```
sqlite3_get_table:1, no such table: tm_bkg_com_param_cfg
[01-01 00:00:02][pid:0][OTHER][ERROR][database/dbshell.c
51119][db_get_tm_back_param_config]db_query_open_v2 error: 1
[01-01 00:00:02][pid:0][OTHER][ERROR][database/dbutil.c
480][get_alldata_from_db]get_alldata_from_db failed,table:218
<init_run>3611:capture_mode(103) value. 15769625
[01-01 00:00:02][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
831][is_support_resolution]is_support_resolution input param error, stream_idx = 2.
[01-01 00:00:02][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
1094][is_support_codec_complexity_type]is_support_codec_complexity_type input param error,
stream_idx = 2.
[01-01 00:00:02][pid:0][HW_IF][ERROR][hardwareif/e2l/serial/serial.c 873][hwif_setrs232]Open
serial port /dev/uart1 failed.
[01-01 00:00:02][pid:0][HW_IF][ERROR][hardwareif/e2l/serial/serial.c
1314][init_general_232_port]r2 232 init failed[init_general_232_port]->[1314]
[01-01 00:00:02][pid:0][SYSINIT][ERROR][misc/serCtrl.c
105][transfer_485_config_options]device not support RS485
[01-01 00:00:02][pid:0][HW_IF][ERROR][hardwareif/e2l/serial/serial.c 1340][init_485_port]r2
transfer_485_config_options error [options:57]
[armlib]start init_dsp_lib malloc
[armlib]sucess init_dsp_lib malloc 369716
[armlib]@@@ start init_dsp_lib malloc 0x81542fc4
[armlib]init_dsp_lib ok!!!!
[01-01 00:07:10][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c
2648][hwif_dsp_init]MT_LIVEBODY!
[01-01 00:07:10][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c 2661][hwif_dsp_init]g_pdsp-
>dspMemSize:64

[01-01 00:07:10][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c 2700][hwif_dsp_init]g_pdsp-
>videoout_type:6

[01-01 00:07:10][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c 2742][hwif_dsp_init]g_pdsp-
>machineType:0
```

```
===== afType = 0
[01-01 00:07:10][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4747][get_hw_vicapa_info]uni_get_video_standard=0, chan = 1 sensor_no = 0
[01-01 00:07:10][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4751][get_hw_vicapa_info]vi_resolu_num=1
[01-01 00:07:10][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4755][get_hw_vicapa_info]PAL-[0]capa_para=15769625#####vi_resolu=15769625
g_pdsp->VideolnitParam.conectMode:0, g_pdsp->VideolnitParam.sensor_type:189

===== sensor_type = 189
```

```
[01-01 00:07:10][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c 2956][hwif_dsp_init]start dsp
start_g_pdsp->dspDynParam.bSmart264 = 0
[armlib]start_dsp first do stop_dsp....
[armlib]@@@start_dsp time at 2746 ms
vbm_init_default()is sucecess
<lib> dspTaskCreat ok!
<lib> dspTaskCreat ok!pParam->bDspStarted=0
[DSP][OSD][ERR][3133][osd.c][dsp_osd_init]line:4986 [1B][1;31m<dsp_osd_init>no sub stream
just continue.....
[1B][0;39m[DSP][OSD][ERR][3137][osd.c][dsp_osd_init]line:4991 [1B][1;31m<dsp_osd_init>no
third stream just continue.....
[1B][0;39m[DSP][OSD][ERR][3147][osd.c][dsp_osd_init]line:4996 [1B][1;31m<dsp_osd_init>no
mjpeg stream just continue.....
[1B][0;39m[ISP][IFR][IFR_ISP_GetAlgCapInfo]line:95 algCapFull:95 algCapFirstTempRange:87
algCapSecondTempRange:87 algModuleVersionInfo:536879106
^^^read K cost 272 ms
[ISP][IFR][IFR_ISP_LoadParam]line:840 algModuleVersionInfo:536879106
[ISP][IFR][IFR_ISP_LoadParam]line:846 alg param file
version[ISP][IFR][IFR_ISP_LoadAGCParams]line:550 algModuleVersionInfo:536879106
[ISP][IFR][IFR_ISP_LoadAGCParams]line:584 range1 agcBgEN:0 SurfaceEN:0
aBgGrayValue:100 LumDeltaMax:80 RateLow:5 PlateauThrDown:5 PlateauThrUp:60 RateHigh:5
LMTPTThous:516 HMTPTThous:258 digitalGainMax:7 surfaceDnrThr:65 LMTPTMapValue:1285
HMTPTMapValue:1290
[ISP][IFR][IFR_ISP_LoadAGCParams]line:618 range2 agcBgEN:0 SurfaceEN:0
aBgGrayValue:100 LumDeltaMax:80 RateLow:5 PlateauThrDown:5 PlateauThrUp:100
RateHigh:5 LMTPTThous:2052 HMTPTThous:258 digitalGainMax:20 surfaceDnrThr:80
LMTPTMapValue:1285 HMTPTMapValue:1290
[ISP][IFR][IFR_ISP_LoadDDEParams]line:705 algModuleVersionInfo:536879106
[ISP][IFR][IFR_ISP_LoadDDEParams]line:764 DDE2 V2 range1 DetailMaxPos:128
DetailMaxNeg:128 FlatAreaThr:1 StrongEdgeThr:8 OverlayGrayThr:240 FlatAreaStr:0
StrongEdgeStr:384 LeftTPProp:1 RightTPProp:1 EdgeSpan:64
[ISP][IFR][IFR_ISP_LoadDDEParams]line:792 DDE2 V2 range2 DetailMaxPos:128
DetailMaxNeg:128 FlatAreaThr:1 StrongEdgeThr:3 OverlayGrayThr:240 FlatAreaStr:0
StrongEdgeStr:512 LeftTPProp:1 RightTPProp:1 EdgeSpan:64
[ISP][IFR][IFR_ISP_SetDefaultParam]line:1046 after load params!
[ISP][IFR][IFR_ISP_UpdateAgcParams]line:1028 AGC2 mapMode:0 agcBgEN:0 SurfaceEN:0
aBgGrayValue:100 LumDeltaMax:80 RateLow:5 PlateauThrDown:5 PlateauThrUp:5 RateHigh:5
TPNLeft:19 TPNRight:38 digitalGainMax:7 surfaceDnrThr:65 TPLLeftMapValue:5
TPRRightMapValue:5
[ISP][IFR][IFR_ISP_UpdateDdeParams]line:1124 DDE2 V2 DetailMaxPos:128 DetailMaxNeg:128
FlatAreaThr:1 StrongEdgeThr:8 OverlayGrayThr:240 FlatAreaStr:0 StrongEdgeStr:384 TPProp:1
EdgeSpan:64
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1169 web3DMode:2
web3DSNFPRecent:50 web3DTNFPRecent:50
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1226 s32YPKStr:0 s32YSFStr:120
s32YTfStr:115 s32TFStrMax:14 s32TFStrMov:1 s32YSmthStr:115 s32YSmthRat:16
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1236 s32YSFStrDlt:1
s32YSFStrDI:1 s32YTfStrDlt:1 s32YTfStrDI:1 s32YSFBriRat:64 s32CSFStr:32 s32CTFStr:20
s32YTfMdwIn:0
[ISP][IFR][IFR_ISP_UpdateWebConfig]line:2035 lumPercentPrev:0
lumPercentNew:50[ISP][IFR][IFR_ISP_UpdateWebConfig]line:2042 ContrastPercentPrev:0
ContrastPercentNew:50[ISP][IFR][IFR_ISP_UpdateWebConfig]line:2059 SharpenPercentPrev:0
SharpenPercentNew:50[ISP][IFR][IFR_ISP_SetDefaultParam]line:1050 after update isp params!
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:512 value:87
[ISP][IFR][IFR_ISP_SetParam]line:1315 keyParam->value:87 spec->algCapCur:87
[ISP][IFR][IFR_ISP_SetParam]line:1318 spec->algCapCur:87
```


[ISP][IFR][IFR_ISP_SetParam]line:1134 key:18 value:8
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:21 value:2
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:16 value:5500
^^read BPC list cost 30 ms
^^read smart data cost 1 ms
[1B][40;33misp init cost 564 ms
[1B][0mTSK_Init successful cost 1630(ms), pts: 3727
[ISP][IFR][IFR_ISP_UpdateAgcParams]line:1028 AGC2 mapMode:0 agcBgEN:0 SurfaceEN:0
aBgGrayValue:100 LumDeltaMax:80 RateLow:5 PlateauThrDown:5 PlateauThrUp:5 RateHigh:5
TPNLeft:19 TPNRight:38 digitalGainMax:7 surfaceDnrThr:65 TPLLeftMapValue:5
TPRightMapValue:5
[ISP][IFR][IFR_ISP_UpdateDdeParams]line:1124 DDE2 V2 DetailMaxPos:128 DetailMaxNeg:128
FlatAreaThr:1 StrongEdgeThr:8 OverlayGrayThr:240 FlatAreaStr:0 StrongEdgeStr:384 TPProp:1
EdgeSpan:64
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1169 web3DMode:2
web3DSNFPRecent:50 web3DTNFPRecent:50
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1226 s32YPKStr:0 s32YSFStr:120
s32YTfStr:115 s32TFStrMax:14 s32TFStrMov:1 s32YSmthStr:115 s32YSmthRat:16
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1236 s32YSFStrDlt:1
s32YSFStrDI:1 s32YTfStrDlt:1 s32YTfStrDI:1 s32YSFBriRat:64 s32CSFStr:32 s32CTFStr:20
s32YTfMdwWin:0
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:16 value:8192
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:513 value:1
[ISP][IFR][IFR_ISP_SetParam]line:1134 key:512 value:87
[ISP][IFR][IFR_ISP_SetParam]line:1315 keyParam->value:87 spec->algCapCur:87
[ISP][IFR][IFR_ISP_SetParam]line:1318 spec->algCapCur:87
[armlib]start dsp core ok, bootInfo=100
[1B][40;33mstart DSP total time =1768(ms) dspTaskCreat cost 38(ms)
start DSP total time =1768138(us) dspTaskCreat cost 38983(us)
[1B][0m[01-01 00:07:11][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c
12900][hwif_dsp_set_temp_calibration]bBufStatus = 1
[01-01 00:07:11][pid:0][DSP][ERROR][hardwareif/e2l/dsp/dsp.c
12927][hwif_dsp_set_temp_calibration]read OK! file_len = 14336, len = 14336
[DSP][TM][ERR][3904][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m<lib>cmd error!!cmd =0, err==0x2006(8198)
[DSP][TM][ERR][3924][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][3944][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][3964][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][3984][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[01-01 00:07:12][pid:0][OTHER][ERROR][mainCtrl/flash_log.c
1561][read_body_temp_correct_to_file]temp_correct_info is not exist!
[DSP][TM][ERR][4004][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39mset cfg is [1][20.0000][0.0000][1]
[DSP][OSD][ERR][4020][osd.c][osd_config]line:4296 [1B][1;31mpParam->flashOn 10,pParam->
flashOff 5,pInit->u8FlashLine16
[1B][0;39m[DSP][OSD][ERR][4031][osd.c][osd_compareLine]line:4139
[1B][1;31m<osd_compareLine>:total attr changes...
[1B][0;39m[DSP][OSD][ERR][4048][osd.c][osd_config]line:4296 [1B][1;31mpParam->flashOn
10,pParam->flashOff 5,pInit->u8FlashLine16
[1B][0;39m[DSP][OSD][ERR][4054][osd.c][osd_compareLine]line:4139
[1B][1;31m<osd_compareLine>:total attr changes...
[1B][0;39m[DSP][TM][ERR][4075][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!

[1B][0;39m[01-01 00:07:12][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
754][usrAppEntry]=====hwif_dsp_init end!!!!
[DSP][TM][ERR][4094][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4114][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4134][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4154][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4174][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4194][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4214][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4234][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4254][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4274][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4294][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4315][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4334][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4354][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4374][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4394][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4414][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4434][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4454][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4474][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4494][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4514][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4534][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4554][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4574][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4594][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!
[1B][0;39m[DSP][TM][ERR][4614][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor
level init!

[1B][0;39m[DSP][TM][ERR][4634][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4654][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4675][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4694][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4714][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4734][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4754][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4774][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4794][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4814][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4834][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4854][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4874][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4894][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4914][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4934][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4954][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][4974][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[DSP][TM][ERR][5009][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m[01-01 00:07:13][pid:0][OTHER][ERROR][basefun_lib/net_base_fun/netconfig.c 273][set_dns]RESOLV_FILE... Just return OK...[01-01 00:07:13][pid:0][OTHER][ERROR][misc/securityCtrl.c 2694][create_passwd_file]create_passwd_file... Just return OK...start to read, dataMode 11
[DSP][TM][ERR][5031][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m1 enter upgrade mode
stData.u32wlen=5
stData.u32rlen=6
stData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
enter upgrade success!
2 send upgrade type
[DSP][TM][ERR][5085][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39mstData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
send upgrade type ok
3 query upgrade data len
data total length 11
4 recv data packets, u32DataSendNum = 0 u32SurplusLen = 11
[DSP][TM][ERR][5111][IFR_TM.c][TSK_TMProcess]line:9965 [1B][1;31mwait sensor level init!

[1B][0;39mrecv last packet with 11 Bytes
5 terminate the upgrade
6 exit the upgrade
stData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
exit the upgrade ok
[01-01
00:07:13][pid:0][SENSOR][ERROR][hardwareif/e2l/frontgroup/param_setting_group_frontt.c
420][thermal_cam_init]

SPI_MODULE_SERIAL_ID :94730216531
[DSP][TM][ERR][5213][IFR_TM.c][TSK_TMPProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39mstart to read, dataMode 13
[DSP][TM][ERR][5322][IFR_TM.c][TSK_TMPProcess]line:9965 [1B][1;31mwait sensor level init!
[1B][0;39m1 enter upgrade mode
stData.u32wlen=5
stData.u32rlen=6
stData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
enter upgrade success!
2 send upgrade type
stData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
[DSP][TM][ERR][5390][IFR_TM.c][TM_UpdateIFRSensorParamsV2]line:3019
[1B][1;31mMT_SetConfig MT_SET_CFG_CORE_PARAM -308 ERROR!!!
[1B][0;39m[DSP][TM][ERR][5401][IFR_TM.c][TSK_TMPProcess]line:9984
[1B][1;31mTM_UpdateIFRSensorParamsV2 failed, ret =ffffff
[1B][0;39m[ISP][IFR][IFR_ISP_UpdateAgcParams]line:1028 AGC2 mapMode:0 agcBgEN:0
SurfaceEN:0 aBgGrayValue:100 LumDeltaMax:80 RateLow:5 PlateauThrDown:5 PlateauThrUp:5
RateHigh:5 TPNLeft:19 TPNRight:38 digitalGainMax:7 surfaceDnrThr:65 TPLLeftMapValue:5
TPRRightMapValue:5
[ISP][IFR][IFR_ISP_UpdateDdeParams]line:1124 DDE2 V2 DetailMaxPos:128 DetailMaxNeg:128
FlatAreaThr:1 StrongEdgeThr:8 OverlayGrayThr:240 FlatAreaStr:0 StrongEdgeStr:384 TPProp:1
EdgeSpan:64
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1169 web3DMode:2
web3DSNFPRecent:50 web3DTNFPRecent:50
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1226 s32YPKStr:0 s32YSFStr:120
s32YTfStr:115 s32TFStrMax:14 s32TFStrMov:1 s32YSmthStr:115 s32YSmthRat:16
[ISP][IFR][IFR_ISP_Hi35183DParamsLinearInterpolation]line:1236 s32YSFStrDlt:1
s32YSFStrDI:1 s32YTfStrDlt:1 s32YTfStrDI:1 s32YSFBriRat:64 s32CSFStr:32 s32CTFStr:20
s32YTfMdwIn:0
[DSP][TM][ERR][5523][IFR_TM.c][TM_UpdateIFRSensorParamsV2]line:3019
[1B][1;31mMT_SetConfig MT_SET_CFG_CORE_PARAM -308 ERROR!!!
[1B][0;39m[DSP][TM][ERR][5530][IFR_TM.c][TSK_TMPProcess]line:9984
[1B][1;31mTM_UpdateIFRSensorParamsV2 failed, ret =ffffff
[1B][0;39m[DSP][TM][ERR][5540][IFR_TM.c][TM_UpdateIFRSensorParamsV2]line:3019
[1B][1;31mMT_SetConfig MT_SET_CFG_CORE_PARAM -308 ERROR!!!
[1B][0;39m[DSP][TM][ERR][5572][IFR_TM.c][TSK_TMPProcess]line:9984
[1B][1;31mTM_UpdateIFRSensorParamsV2 failed, ret =ffffff
[1B][0;39msend upgrade type ok
3 query upgrade data len
data total length 5
4 recv data packets, u32DataSendNum = 0 u32SurplusLen = 5
recv last packet with 5 Bytes
5 terminate the upgrade
6 exit the upgrade
stData.au8data[5]=0 stData.au8data[6]=0 stData.au8data[7]=0 stData.au8data[8]=1
exit the upgrade ok

```

[01-01
00:07:14][pid:0][SENSOR][ERROR][hardwareif/e2l/frontgroup/param_setting_group_frontt.c
438][thermal_cam_init]SPI_MODULE_ID = 0x2 0x53 0x53 0x1 0x1
[01-01
00:07:14][pid:0][SENSOR][ERROR][hardwareif/e2l/frontgroup/param_setting_group_frontt.c
445][thermal_cam_init]SPI_MODULE_ID :0x 253530101
hal_thm_getport port init ok

[01-01 00:07:14][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
803][usrAppEntry]=====hwif_initalarm end!!!!
[01-01 00:07:15][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
819][usrAppEntry]=====init_security_cfg end!!!!
[01-01 00:07:15][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
979][usrAppEntry]=====userSecurityInit end!!!!
[core_thm_task_send] started!

[01-01 00:07:15][pid:0][OTHER][ERROR][netconfig.c 194][set_net_param]Cannot get current
device settings
[01-01 00:07:16][pid:0][OTHER][ERROR][netconfig.c 1281][set_ipaddr]set_ipaddr ioctl error and
errno=19
[01-01 00:07:16][pid:0][SDKCMD][ERROR][netConn/dvrNet.c
877][setDeviceIpAddress]setDeviceIpAddress: set_ipaddr failed.
[01-01 00:07:16][pid:0][OTHER][ERROR][netconfig.c 2054][del_gateway]del_gateway ioctl error
and errno=22
[01-01 00:07:17][pid:0][OTHER][ERROR][netconfig.c 1169][set_active_gateway]del_gateway err.
[01-01 00:07:17][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:17][pid:0][OTHER][ERROR][netconfig.c 1234][set_active_gateway]set_gateway ioctl
error and errno=113
[01-01 00:07:17][pid:0][SDKCMD][ERROR][netConn/dvrNet.c 1341][initNetIf]initNetIf:
set_gateway failed, errno=0
[01-01 00:07:17][pid:0][OTHER][ERROR][netconfig.c 1999][set_mtu]set_mtu ioctl error and
errno=0
[01-01 00:07:17][pid:0][SDKCMD][ERROR][netConn/dvrNet.c 1384][initNetIf]initNetIf: set_mtu
failed.
[01-01 00:07:17][pid:0][OTHER][ERROR][basefun_lib/net_base_fun/netconfig.c
273][set_dns]RESOLV_FILE... Just return OK...[01-01
00:07:17][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
982][usrAppEntry]=====initNetIf end!!!!
-----usrapp:maxEnChanNo = 1 -----
[01-01 00:07:17][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c 2310][initEncodeChan]dspldix
0: totalDmChips = 1, chansPerDsp = 1
connect /var/systemCmd.socket fail!
[01-01 00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4747][get_hw_vicapa_info]uni_get_video_standard=0, chan = 1 sensor_no = 0
[01-01 00:07:18][pid:0][HDMANAGER][ERROR][hdCtrl/hdmanager.c 510][umount_force]umount
failed, errno = 0, dst_partname:/mnt/mmc01!
[01-01 00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4751][get_hw_vicapa_info]vi_resolu_num=1
[01-01 00:07:18][pid:0][SD][ERROR][hardwareif/e2l/sdcard.c 602][UniHwIF_sdctrl]<sdctrl>
umount_force fail and errno=0[01-01
00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
4755][get_hw_vicapa_info]PAL-[0]capa_para=15769625#####vi_resolu=15769625
[DSP][VIN][ERR][10153][vi.c][HostSetCapMode]line:3023 [1B][1;31mHostSetCapMode same
param! return!

```

```

[1B][0;39m[DSP][VO][ERR][10161][vo.c][HostSetVoStandard]line:956
[1B][1;31mHostSetVoStandard dsplnitParam.voType=22 bHaveSd=0 not cvbs
return![1B][0;39m[01-01
00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
443][get_current_res_index]get_current_res_index failed stream_idx = 1, resolution = 7.
[DSP][ENC][ERR][10188][enc.c][enc_setEncoderParam]line:1546 [1B][1;31m#####
enc_setEncoderParam: INVALID PARAM!!! #####
[1B][0;39m[DSP][ENC][ERR][10200][enc.c][enc_setEncoderParam]line:1547 [1B][1;31mplnit-
>fps=0 IFrameInterval = 50 BFrameNum = 0
[1B][0;39m[DSP][ENC][ERR][10211][enc.c][enc_setEncoderParam]line:1548 [1B][1;31mplnit-
>streamType = 0x1001 plnit->resolution = 0x100b
[1B][0;39m[DSP][ENC][ERR][10222][enc.c][enc_setEncoderParam]line:1549 [1B][1;31mplnit-
>quarter = 0 plnit->quality = 17
[1B][0;39m[DSP][ENC][ERR][10232][enc.c][enc_setEncoderParam]line:1551 [1B][1;31mplnit-
>max_delay = 8 max_quant = 0 min_quant = 0
[1B][0;39m[DSP][ENC][ERR][10243][enc.c][enc_setEncoderParam]line:1552 [1B][1;31mplnit-
>bps = 524288 plnit->bpsType = 1
[1B][0;39m[DSP][ENC][ERR][10253][enc.c][enc_setEncoderParam]line:1554 [1B][1;31mplnit-
>encType.videoType = 5 b_svc_mode=0 profile = 1
[1B][0;39m[DSP][ENC][ERR][10265][enc.c][enc_setEncoderParam]line:1555 [1B][1;31mplnit-
>i_qp_offset_level = 50
[1B][0;39m[DSP][ENC][ERR][10274][enc.c][HostSetEncoderParam]line:3698
[1B][1;31m<enc_setEncoderParam>chan 0,set encode param error 0x200d
[1B][0;39m<lib>cmd error!!cmd =10, err==0x200d(8205)
[DSP][ENC][ERR][10290][enc.c][HostInsertIFrame]line:3737 [1B][1;31mwarning: enc 0 is not
started, just return ok
[1B][0;39m[01-01 00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
831][is_support_resolution]is_support_resolution input param error, stream_idx = 2.
stream request out range 2
[01-01 00:07:18][pid:0][CAPA][ERROR][deviceinfo/capability/device_capa_interface.c
443][get_current_res_index]get_current_res_index failed stream_idx = 1, resolution = 7.
[DSP][ENC][ERR][10332][enc.c][enc_setEncoderParam]line:1546 [1B][1;31m#####
enc_setEncoderParam: INVALID PARAM!!! #####
[1B][0;39m[DSP][ENC][ERR][10344][enc.c][enc_setEncoderParam]line:1547 [1B][1;31mplnit-
>fps=0 IFrameInterval = 50 BFrameNum = 0
[1B][0;39m[DSP][ENC][ERR][10355][enc.c][enc_setEncoderParam]line:1548 [1B][1;31mplnit-
>streamType = 0x1001 plnit->resolution = 0x100b
[1B][0;39m[DSP][ENC][ERR][10366][enc.c][enc_setEncoderParam]line:1549 [1B][1;31mplnit-
>quarter = 0 plnit->quality = 17
[1B][0;39m[DSP][ENC][ERR][10376][enc.c][enc_setEncoderParam]line:1551 [1B][1;31mplnit-
>max_delay = 8 max_quant = 0 min_quant = 0
[1B][0;39m[DSP][ENC][ERR][10388][enc.c][enc_setEncoderParam]line:1552 [1B][1;31mplnit-
>bps = 524288 plnit->bpsType = 1
[1B][0;39m[DSP][ENC][ERR][10398][enc.c][enc_setEncoderParam]line:1554 [1B][1;31mplnit-
>encType.videoType = 5 b_svc_mode=0 profile = 1
[1B][0;39m[DSP][ENC][ERR][10409][enc.c][enc_setEncoderParam]line:1555 [1B][1;31mplnit-
>i_qp_offset_level = 50
[1B][0;39m[DSP][ENC][ERR][10418][enc.c][HostSetEncoderParam]line:3698
[1B][1;31m<enc_setEncoderParam>chan 1,set encode param error 0x200d
[1B][0;39m<lib>cmd error!!cmd =10, err==0x200d(8205)
[DSP][ENC][ERR][10436][enc.c][HostInsertIFrame]line:3737 [1B][1;31mwarning: enc 1 is not
started, just return ok
[1B][0;39m-----usrapp: initEncodeChan-----
appweb error: : appweb: Error: Can't get host name. Using "localhost".

appweb: Error: Can't get host name. Using "localhost".

```



```
appweb: 1: MPR services are ready
free_clst is 244753
[01-01 00:07:18][pid:0][SD][ERROR][hardwareif/e2l/sdcard.c 586][UniHwIF_sdctrl]<sdctrl>
partition /dev/mmcblk0p1 don't exist and errno=2.
-----usrapp: initWebServer-----
appweb error: : appweb: Error: OpenSSL: Can't define certificate file: /config/servcert.pem

appweb: Error: OpenSSL: Can't define certificate file: /config/servcert.pem
appweb: 1: Starting host named: "null"
appweb: 1: Starting host named: "httpsHost"
appweb: 1: appwebTask: mprStartEventsThread Success.....

[01-01 00:07:18][pid:0][OTHER][ERROR][mainCtrl/update_sec_file.c
68][get_upsec_info]is_not_upsec_mode upsec_mode = 0
[01-01 00:07:18][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
1254][usrAppEntry]get_upsec_info failed
[01-01 00:07:18][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c
1259][usrAppEntry]upgrade_sdcard.
-----get_devcapa_data: maxEnChanNo = 1-----
[DSP][ENC][ERR][10683][enc.c][enc_setEncoderParam]line:1648
[1B][1;31mwarning:HI_MPL_VENC_DestroyChn 0 faild, err=0xa0088005
[1B][0;39m[01-01 00:07:18][pid:0][DSP][ERROR][hardwareif/e2l/dsp/streamRecv.c
306][get_media_info]get_media_info out of ranger
[DSP][OSD][ERR][10730][osd.c][osd_config]line:4296 [1B][1;31mpParam->flashOn 10,pParam-
>flashOff 5,pInit->u8FlashLine16
[1B][0;39m[DSP][OSD][ERR][10755][osd.c][osd_compareLine]line:4139
[1B][1;31m<osd_compareLine>:total attr changes...
[1B][0;39m[01-01 00:07:18][pid:0][NAS][ERROR][keying/key_event_e2.c
552][key_event_interface]mqOpen /KeyValMsgQ error! No such file or directory
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c 306][init_metadata_mem]in
pDevCfgParam max packetlen = 1440
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
333][init_metadata_mem]packetlen = 1440
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
349][init_metadata_mem]g_metadata_mem[1].base = 81bed1f8
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
350][init_metadata_mem]g_metadata_mem[1].totalsize = 92160
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
351][init_metadata_mem]g_metadata_mem[1].ridx = 0
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
352][init_metadata_mem]g_metadata_mem[1].widx = 0
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
353][init_metadata_mem]g_metadata_mem[1].packetlen = 1440
[01-01 00:07:19][pid:0][PREVIEW][ERROR][src/netprocitf_preview.c
354][init_metadata_mem]g_metadata_mem[1].peer_packetlen = 1440
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 4 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 5 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 6 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 7 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 8 ,error!
```


[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 9 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 10 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 11 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 12 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 13 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 14 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 15 ,error!
[01-01 00:07:19][pid:0][UNI_IF][ERROR][src/preview_adaptation_layer.c
122][get_chan_netconnect_list_ex]encode_chan = 16 ,error!
maxEnChanNo=1 is_support_mpeg4=1
scandir: Not a directory
[01-01 00:07:19][pid:0][SYSINIT][ERROR][mainCtrl/usrMainApp.c 1611][usrAppEntry]initSADP
failed
scandir: Not a directory
scandir: Not a directory
scandir: Not a directory
[01-01 00:07:20][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:20][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:22][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:23][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:23][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:24][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:24][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:25][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:25][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:26][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:26][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:27][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:27][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:28][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:28][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:29][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0

[01-01 00:07:29][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:30][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:30][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
begin to force power off!

[01-01 00:07:31][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:31][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:32][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:32][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:33][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0
[01-01 00:07:33][pid:0][OTHER][ERROR][mainCtrl/flash_log.c
1297][write_msg_to_flash_log]send flash_log_msg failed, ret = -1
[01-01 00:07:33][pid:0][OTHER][ERROR][netconfig.c 569][get_ipaddr]get_ipaddr failed.
p_interface_name:eth0